

# Chemical Factsheet

## Tebuconazole

### General Information

- Product Names:
  - Floicur Technical** (Bayer)
  - Elite** (Bayer)
  - Raxil** (Bayer)
  - Absolute** (Bayer) formulated with [Trifloxystrobin](#)
  - Provost** (Bayer) formulated with Prothioconazole
  - Prosaro** (Bayer) formulated with prothiconazole
  - Luna** (Bayer) formulated with Fluopyran
  - Torque** (Clearly Chemicals)
  - Monsoon** (Loveland)
  - Preventol A8** (Laxness)
  - Tegrol** (Luxembourg-Pamol)
  - Stiva 309 FS** (Nufarm)
  - Evito** (Arysta) formulated with [Fluoxastrobin](#)
  - Tebuzol 45 DF** (United Phosphorus)
  - Skylark** (United Phosphorus)
  - Buzz Ultra** (Sulphur Mills)
  - Toledo** (Rotam)
- Chemical Class: Azole fungicide
- Uses: Agriculture: grapes, garlic, cherries, peaches, more
- Alternatives: [Organic agriculture](#)
- Beyond Pesticides rating: [Toxic](#)

### Health and Environmental Effects

*See citations at end of document.*

- Cancer: Possible (1)
- Endocrine Disruption: Yes (2)
- Reproductive Effects: Not documented
- Neurotoxicity: Not documented
- Kidney/Liver Damage: Not documented
- Sensitizer/ Irritant: Not documented
- Birth/Developmental: Not documented
- Detected in Groundwater: Not documented
- Potential Leacher: Potential (1)
- Toxic to Birds: Not documented
- Toxic to Fish/Aquatic Organisms: Not documented
- Toxic to Bees: Not documented

### Residential Uses as Found in the ManageSafe™ Database

- [Mold](#)

## Additional Information

- Supporting information:
  - [PAN Database: Tebuconazole](#) (Pesticide Action Network North America)
- Studies [compiled from the [Pesticide-Induced Diseases Database](#)]
  - [Adverse effects on sexual development in rat offspring after low dose exposure to a mixture of endocrine-disrupting pesticides.](#) Hass U, Boberg J, Christiansen S, Jacobsen PR, et al. 2012. *Reprod Toxicol.*34(2):261-74
  - [Birds feeding on tebuconazole treated seeds have reduced breeding output.](#) Lopez-Antia, A., Ortiz-Santaliestra, M.E., Mougeot, F., Camarero, P.R. and Mateo, R., 2021. *Environmental Pollution*, 271, p.116292.
  - [Detrimental consequences of tebuconazole on redox homeostasis and fatty acid profile of honeybee brain.](#) Mackei, M., Sebők, C., Vöröházi, J., Tráj, P., Mackei, F., Oláh, B., Fébel, H., Neogrady, Z. and Mátis, G., 2023. *Insect Biochemistry and Molecular Biology*, 159, p.103990.
  - [Major Pesticides Are More Toxic to Human Cells Than Their Declared Active Principles.](#) Mesnage, R. et al. (2014) Major pesticides are more toxic to human cells than their declared active principles, *BioMed Research International*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3955666/>.
  - [Snails as indicators of pesticide drift, deposit, transfer and effects in the vineyard.](#) Druart, C. et al. (2011) Snails as indicators of pesticide drift, deposit, transfer and effects in the vineyard, *Science of The Total Environment*. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S0048969711007224?via%3Dihub>.
  - [Exposure to pesticides, persistent and non – persistent pollutants in French 3.5-year-old children: Findings from comprehensive hair analysis in the ELFE national birth cohort.](#) Macheka, L. et al. (2024) Exposure to pesticides, persistent and non – persistent pollutants in French 3.5-year-old children: Findings from comprehensive hair analysis in the ELFE national birth cohort, *Environment International*. Available at: <https://www.sciencedirect.com/science/article/pii/S0160412024004677>.
  - [Uptake and distribution of fluopyram and tebuconazole residues in tomato and bell pepper plant tissues.](#) Matadha, N.Y. et al. (2019) Uptake and distribution of fluopyram and tebuconazole residues in tomato and bell pepper plant tissues, *Environmental Science and Pollution Research*. Available at: <https://link.springer.com/article/10.1007/s11356-018-04071-4>.
  - [A Th2-type immune response and low-grade systemic inflammatory reaction as potential immunotoxic effects in intensive agriculture farmers exposed to pesticides.](#) Lozano-Paniagua, D. et al. (2024) 'A th2-type immune response and low-grade systemic inflammatory reaction as potential immunotoxic effects in intensive agriculture farmers exposed to pesticides', *Science of The Total Environment*, 938, p. 173545. doi:10.1016/j.scitotenv.2024.173545.
  - [Pesticide-Induced Inflammation at a Glance.](#) Lopes-Ferreira, M. et al. (2023) 'Pesticide-induced inflammation at a glance', *Toxics*, 11(11), p. 896. doi:10.3390/toxics11110896.
  - [Different effects of polyethylene microplastics on bioaccumulation of three fungicides in maize \(Zea mays L.\).](#) Qiu, S., Shen, H., Song, J. et al. Different effects of polyethylene microplastics on bioaccumulation of three fungicides in maize (Zea mays L.). *Crop Health* 2, 7 (2024). <https://doi.org/10.1007/s44297-024-00028-x>
  - [The influence of polyethylene microplastics on pesticide residue and degradation in the aquatic environment.](#) Wang, F., Gao, J., Zhai, W., Liu, D., Zhou, Z., & Wang, P. (2020). The influence of polyethylene microplastics on pesticide residue and degradation in the aquatic environment. *Journal of hazardous materials*, 394, 122517. <https://doi.org/10.1016/j.jhazmat.2020.122517>

- [Effects of triazole fungicides on androgenic disruption and CYP3A4 enzyme activity](#). Lv, X., Pan, L., Wang, J., Lu, L., Yan, W., Zhu, Y., Xu, Y., Guo, M., & Zhuang, S. (2017). Effects of triazole fungicides on androgenic disruption and CYP3A4 enzyme activity. *Environmental pollution (Barking, Essex : 1987)*, 222, 504–512. <https://doi.org/10.1016/j.envpol.2016.11.051>
- [Triazole pesticides exposure impaired steroidogenesis associated to an increase in AHR and CAR expression in testis and altered sperm parameters in chicken](#). Serra, L., Bourdon, G., Estienne, A., Fréville, M., Ramé, C., Chevaleyre, C., Didier, P., Chahnamian, M., Ganier, P., Pinault, F., Froment, P., & Dupont, J. (2023). Triazole pesticides exposure impaired steroidogenesis associated to an increase in AHR and CAR expression in testis and altered sperm parameters in chicken. *Toxicology reports*, 10, 409–427. <https://doi.org/10.1016/j.toxrep.2023.03.005>
- [Tebuconazole Induces Mouse Fetal Testes Damage via ROS Generation in an Organ Culture Method](#). Lee, W. Y., Lee, R., & Park, H. J. (2024). Tebuconazole Induces Mouse Fetal Testes Damage via ROS Generation in an Organ Culture Method. *International journal of molecular sciences*, 25(13), 7050. <https://doi.org/10.3390/ijms25137050>
- [Oxidative Stress, Cytotoxic and Inflammatory Effects of Azoles Combinatorial Mixtures in Sertoli TM4 Cells](#). Petricca, S., Carnicelli, V., Luzi, C., Cinque, B., Celenza, G., & Iorio, R. (2023). Oxidative Stress, Cytotoxic and Inflammatory Effects of Azoles Combinatorial Mixtures in Sertoli TM4 Cells. *Antioxidants (Basel, Switzerland)*, 12(6), 1142. <https://doi.org/10.3390/antiox12061142>
- [Evaluation of the Aquatic Toxicity of Several Triazole Fungicides](#). Boros, B.-V., Roman, D.-L., & Isvoran, A. (2024). Evaluation of the Aquatic Toxicity of Several Triazole Fungicides. *Metabolites*, 14(4), 197. <https://doi.org/10.3390/metabo14040197>
- [Cardiotoxicity and triazole pesticides: therapeutic options for a neglected heart disease](#). Souza, D. and Roman-Campos, D. (2025) Cardiotoxicity and triazole pesticides: therapeutic options for a neglected heart disease, *Expert Review of Cardiovascular Therapy*. Available at: <https://www.tandfonline.com/doi/full/10.1080/14779072.2025.2476124>.
- [In vivo tebuconazole administration impairs heart electrical function and facilitates the occurrence of dobutamine-induced arrhythmias: involvement of reactive oxygen species](#). Teixeira-Fonseca, J. L., Souza, D. S., Conceição, M. R. L., Marques, L. P., Durço, A. O., Silva, P. L. D., Joviano-Santos, J. V., Santos-Miranda, A., & Roman-Campos, D. (2024). In vivo tebuconazole administration impairs heart electrical function and facilitates the occurrence of dobutamine-induced arrhythmias: involvement of reactive oxygen species. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association*, 187, 114596. <https://doi.org/10.1016/j.fct.2024.114596>
- [Tebuconazole induces ROS-dependent cardiac cell toxicity by activating DNA damage and mitochondrial apoptotic pathway](#). Ben Othmène, Y., Monceaux, K., Karoui, A., Ben Salem, I., Belhadef, A., Abid-Essefi, S., & Lemaire, C. (2020). Tebuconazole induces ROS-dependent cardiac cell toxicity by activating DNA damage and mitochondrial apoptotic pathway. *Ecotoxicology and environmental safety*, 204, 111040. <https://doi.org/10.1016/j.ecoenv.2020.111040>
- [The fungicide tebuconazole modulates the sodium current of human NaV1.5 channels expressed in HEK293 cells](#). Marques, L. P., Santos-Miranda, A., Joviano-Santos, J. V., Teixeira-Fonseca, J. L., Alcântara, F. D. S., Sarmento, J. O., & Roman-Campos, D. (2023). The fungicide tebuconazole modulates the sodium current of human NaV1.5 channels expressed in HEK293 cells. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association*, 180, 113992. <https://doi.org/10.1016/j.fct.2023.113992>
- [The fungicide Tebuconazole induces electromechanical cardiotoxicity in murine heart and](#)

[human cardiomyocytes derived from induced pluripotent stem cells](#). Santos-Miranda, A., Joviano-Santos, J. V., Cruz-Nascimento, T., Neri, E. A., Souza, D. S., Marques, L. P., Krieger, J. E., & Roman-Campos, D. (2022). The fungicide Tebuconazole induces electromechanical cardiotoxicity in murine heart and human cardiomyocytes derived from induced pluripotent stem cells. *Toxicology letters*, 359, 96–105.  
<https://doi.org/10.1016/j.toxlet.2022.02.005>

- [Tebuconazole induced oxidative stress and histopathological alterations in adult rat heart](#). Othmène, Y. B., Hamdi, H., Amara, I., & Abid-Essefi, S. (2020). Tebuconazole induced oxidative stress and histopathological alterations in adult rat heart. *Pesticide biochemistry and physiology*, 170, 104671. <https://doi.org/10.1016/j.pestbp.2020.104671>
- [Tebuconazole induced cardiotoxicity in male adult rat](#). Ben Othmène, Y., Hamdi, H., Annabi, E., Amara, I., Ben Salem, I., Neffati, F., Najjar, M. F., & Abid-Essefi, S. (2020). Tebuconazole induced cardiotoxicity in male adult rat. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association*, 137, 111134. <https://doi.org/10.1016/j.fct.2020.111134>
- [Distribution of fluopyram and tebuconazole in pomegranate tissues and their risk assessment](#). Yogendraiah Matadha, N., Mohapatra, S., & Siddamallaiiah, L. (2021). Distribution of fluopyram and tebuconazole in pomegranate tissues and their risk assessment. *Food chemistry*, 358, 129909. <https://doi.org/10.1016/j.foodchem.2021.129909>
- [Fate of pesticide residues in beer and its by-products](#). Hakme, E., Kallehauge Nielsen, I., Fermina Madsen, J., Storkehave, L. M., Skjold Elmelund Pedersen, M., Schulz, B. L., ... Duedahl-Olesen, L. (2023). Fate of pesticide residues in beer and its by-products. *Food Additives & Contaminants: Part A*, 41(1), 45–59. <https://doi.org/10.1080/19440049.2023.2282557>
- [Currently used and legacy pesticides in the marine atmosphere from Patagonia to Europe](#). Debler, F., Gandrass, J., Paul Ramacher, M. O., Koenig, A. M., Zimmermann, S., & Joerss, H. (2025). Currently used and legacy pesticides in the marine atmosphere from Patagonia to Europe. *Environmental pollution (Barking, Essex : 1987)*, 373, 126175. Advance online publication. <https://doi.org/10.1016/j.envpol.2025.126175>
- [Widespread Pesticide Distribution in the European Atmosphere Questions their Degradability in Air](#). Mayer, L., Degrendele, C., Šenk, P., Kohoutek, J., Příbylová, P., Kukučka, P., Melymuk, L., Durand, A., Ravier, S., Alastuey, A., Baker, A. R., Baltensperger, U., Baumann-Stanzer, K., Biermann, T., Bohlin-Nizzetto, P., Ceburnis, D., Conil, S., Couret, C., Degórska, A., Diapouli, E., ... Lammel, G. (2024). Widespread Pesticide Distribution in the European Atmosphere Questions their Degradability in Air. *Environmental science & technology*, 58(7), 3342–3352. Advance online publication. <https://doi.org/10.1021/acs.est.3c08488>
- [Exposure to sublethal levels of insecticide-fungicide mixtures affect reproductive success and population growth rates in the solitary bee \*Osmia cornuta\*](#). Albacete, S., Sancho, G., Azpiazu, C., Sgolastra, F., Rodrigo, A., & Bosch, J. (2024). Exposure to sublethal levels of insecticide-fungicide mixtures affect reproductive success and population growth rates in the solitary bee *Osmia cornuta*. *Environment international*, 190, 108919. <https://doi.org/10.1016/j.envint.2024.108919>
- [Wastewater surveillance for assessing human exposure to pesticides: Investigating populations living near flower bulb fields](#). Bijlsma, L. et al. (2025) Wastewater surveillance for assessing human exposure to pesticides: Investigating populations living near flower bulb fields, *Journal of Environmental Chemical Engineering*. Available at: <https://www.sciencedirect.com/science/article/pii/S2213343725017865>.
- [Occurrence of Current-Use Pesticides in Paired Indoor Dust, Drinking Water, and Urine Samples from the United States: Risk Prioritization and Health Implications](#). Xie, Y., Li, J.,

- Salamova, A., & Zheng, G. (2025). Occurrence of Current-Use Pesticides in Paired Indoor Dust, Drinking Water, and Urine Samples from the United States: Risk Prioritization and Health Implications. *Environmental science & technology*, 59(25), 12507–12519. <https://doi.org/10.1021/acs.est.5c00961>
- [A wild bumble bee shows intraspecific differences in sensitivity to multiple pesticides.](#) Tatarko, A. et al. (2025) A wild bumble bee shows intraspecific differences in sensitivity to multiple pesticides, *Royal Society Open Science*. Available at: <https://royalsocietypublishing.org/doi/10.1098/rsos.250281>.
  - [Potential neurotoxicity, immunotoxicity, and carcinogenicity induced by metribuzin and tebuconazole exposure in earthworms \(Eisenia fetida\) revealed by transcriptome analysis.](#) Li, G., Li, D., Rao, H., & Liu, X. (2022). Potential neurotoxicity, immunotoxicity, and carcinogenicity induced by metribuzin and tebuconazole exposure in earthworms (*Eisenia fetida*) revealed by transcriptome analysis. *The Science of the total environment*, 807(Pt 1), 150760. <https://doi.org/10.1016/j.scitotenv.2021.150760>
  - [Occurrence and ecological risk of typical pesticides in a river-lake system.](#) Qin, Y. et al. (2025) Occurrence and ecological risk of typical pesticides in a river-lake system, *Water Science and Engineering*. Available at: <https://www.sciencedirect.com/science/article/pii/S1674237025000833>.
  - [Tebuconazole alters morphological, behavioral and neurochemical parameters in larvae and adult zebrafish \(Danio rerio\).](#) Altenhofen, Stefani et al. “Tebuconazole alters morphological, behavioral and neurochemical parameters in larvae and adult zebrafish (*Danio rerio*).” *Chemosphere* vol. 180 (2017): 483-490. doi:10.1016/j.chemosphere.2017.04.029
  - [Acute toxicity and bioconcentration of fungicide tebuconazole in zebrafish \(Danio rerio\).](#) Andreu-Sánchez, O., Paraíba, L.C., Jonsson, C.M. and Carrasco, J.M. (2012), Acute toxicity and bioconcentration of fungicide tebuconazole in zebrafish (*Danio rerio*). *Environ. Toxicol.*, 27: 109-116. <https://doi.org/10.1002/tox.20618>
  - [Pesticides in rainwater: A two-year occurrence study in an unexplored environmental compartment in regions with different land use in the State of São Paulo – Brazil.](#) Dias, Mariana A et al. “Pesticides in rainwater: A two-year occurrence study in an unexplored environmental compartment in regions with different land use in the State of São Paulo - Brazil.” *Chemosphere* vol. 372 (2025): 144093. doi:10.1016/j.chemosphere.2025.144093
  - [Pesticide residues in European agricultural soils – A hidden reality unfolded.](#) Silva, Vera et al. “Pesticide residues in European agricultural soils - A hidden reality unfolded.” *The Science of the total environment* vol. 653 (2019): 1532-1545. doi:10.1016/j.scitotenv.2018.10.441
  - [Honey bee hives as biomonitors of pesticide environmental pollution. The INSIGNIA-EU monitoring action.](#) Fernández-Alba, A. et al. (2025) Honey bee hives as biomonitors of pesticide environmental pollution. *The INSIGNIA-EU monitoring action*, *Science of The Total Environment*. Available at: <https://www.sciencedirect.com/science/article/pii/S0048969725019254>.
  - [The effect of the Falcon 460 EC fungicide on soil microbial communities, enzyme activities and plant growth.](#) Baćmaga, M., Wyszowska, J. & Kucharski, J. The effect of the Falcon 460 EC fungicide on soil microbial communities, enzyme activities and plant growth. *Ecotoxicology* 25, 1575–1587 (2016). <https://doi.org/10.1007/s10646-016-1713-z>
  - [Dietary exposure to pesticides in poultry: From semen quality to embryonic mortality and tissue accumulation.](#) Napierkowska, S. et al. (2026) Dietary exposure to pesticides in poultry: From semen quality to embryonic mortality and tissue accumulation, *Poultry Science*. Available at: <https://www.sciencedirect.com/science/article/pii/S0032579126000192>.
  - [Stereoselective and concentration-dependent induction of triazole resistance in](#)

- [Cryptococcus neoformans by agricultural fungicide tebuconazole](#). Peng, W., Zhang, Y., Yu, H., Xu, H., Fu, X., Zhou, Q., & Cao, D. (2025). Stereoselective and concentration-dependent induction of triazole resistance in *Cryptococcus neoformans* by agricultural fungicide tebuconazole. *Journal of hazardous materials*, 498, 139974. Advance online publication. <https://doi.org/10.1016/j.jhazmat.2025.139974>
- [Epilithic biofilms as bioindicators of water contamination by pesticides in Protected Areas from Atlantic Forest](#). Mollmann, V. et al. (2026) Epilithic biofilms as bioindicators of water contamination by pesticides in Protected Areas from Atlantic Forest, *Science of The Total Environment*. Available at: <https://www.sciencedirect.com/science/article/pii/S0048969726003177>.
  - [Legacy and current-use pesticides in indoor settled dust and association with building age and seasonality](#). Marcinekova, Paula & Mikeš, Ondřej & Jílková, Simona & Šenk, Petr & Martiník, Jakub & Böhm, Jan & Borilova Linhartova, Petra & Andrýsková, Lenka & Klanova, Jana & Melymuk, Lisa. (2026). Legacy and current-use pesticides in indoor settled dust and association with building age and seasonality. *Indoor Environments*. 3. 100169. [10.1016/j.indenv.2026.100169](https://doi.org/10.1016/j.indenv.2026.100169).
  - [Pesticides in the atmosphere and seawater in a transect study from the Western Pacific to the Southern Ocean: The importance of continental discharges and air-seawater exchange](#). Zhang, X., Zhang, X., Zhang, Z. F., Yang, P. F., Li, Y. F., Cai, M., & Kallenborn, R. (2022). Pesticides in the atmosphere and seawater in a transect study from the Western Pacific to the Southern Ocean: The importance of continental discharges and air-seawater exchange. *Water research*, 217, 118439. <https://doi.org/10.1016/j.watres.2022.118439>

## Gateway Health and Environmental Effects Citations

1. Pesticide Action Network Pesticide Database. [http://www.pesticideinfo.org/Search\\_Chemicals.jsp](http://www.pesticideinfo.org/Search_Chemicals.jsp).
2. European Commission. Endocrine Disruptors: Study on Gathering Information on 435 Substances with Insufficient Data. Final Report. EU DG Environment: B4-3040/2001/325850/MAR/C2. BKH Consulting Engineers: M0355037. November 2002. [http://ec.europa.eu/environment/chemicals/endocrine/pdf/bkh\\_report.pdf#page=76](http://ec.europa.eu/environment/chemicals/endocrine/pdf/bkh_report.pdf#page=76).

Factsheet generated on May 26, 2026