

Chemical Factsheet

Fipronil

General Information

- Fact Sheet: [Fipronil.pdf](#)
- Product Names:
 - Combat 12 Month** (Clorox)
 - Termidor** (Bayer/BASF)
 - Maxforce Ant Bait F1** (Maxforce Insect Control Systems)
 - Maxforce Large Roach Bait** (Maxforce Insect Control Systems)
 - Combat Quick Roach Killing Gel** (Combat Insect Control Systems)
 - Fuse** (Control Solutions, Inc.)
 - Taurus** (Control Solutions, Inc.)
- Chemical Class: Phenyl pyrazole insecticide
- Uses: Residential baits and gels, agriculture, [golf courses](#)
- Alternatives: [Least Toxic Baits and Gels](#), [Organic Agriculture](#), [Golf Courses](#)
- Beyond Pesticides rating: [Toxic](#)

Health and Environmental Effects

See citations at end of document.

- Cancer: Possible (1)
- Endocrine Disruption: Yes (2)
- Reproductive Effects: Yes (3)
- Neurotoxicity: Yes (3)
- Kidney/Liver Damage: Yes (3)
- Sensitizer/ Irritant: Yes (3)
- Birth/Developmental: Not documented
- Detected in Groundwater: Not documented
- Potential Leacher: Not documented
- Toxic to Birds: Yes (3, 4)
- Toxic to Fish/Aquatic Organisms: Yes (3, 4)
- Toxic to Bees: Yes (3, 4)

Residential Uses as Found in the ManageSafe™ Database

- [Carpenter Ants](#)
- [Fleas](#)
- [Termites](#)
- [Ants](#)
- [Cockroaches](#)

Additional Information

- Regulatory Status:
 - [EPA Regulatory Documents](#)

- [BP Comments to CDPR](#) (February 2026)
- Supporting information:
 - [Daily News Blog Entries](#) (Beyond Pesticides)
 - [NCAP Fipronil Factsheet](#) (Northwest Coalition for Alternatives to Pesticides)
 - [NPIC Fipronil Factsheet](#) (National Pesticide Information Center)
 - [PAN Pesticides Database: Fipronil](#) (Pesticide Action Network)
- Studies [compiled from the [Pesticide-Induced Diseases Database](#)]
 - [Effects of neonicotinoids and fipronil on non-target invertebrates.](#) [Pisa,LW, Amaral-Rogers, V et al. 2015. Environ Sci and Poll Res. 22(1):68-102]
 - [Fipronil-induced disruption of thyroid function in rats is mediated by increased total and free thyroxine clearances concomitantly to increased activity of hepatic enzymes.](#) Leghait J, et al. 2009. *Toxicology*
 - [Reproductive adverse effects of fipronil in Wistar rats.](#) Ohi et al. 2004. *Toxicology Letters*
 - [Human exposure to fipronil from dogs treated with frontline.](#) Jennings, K.A. 2002. *Vet Hum Toxicol*
 - [Diverse neurotoxicants target the differentiation of embryonic neural stem cells into neuronal and glial phenotypes..](#) Slotkin TA, Skavicus S, Card J, et al. 2016. *Toxicology*. 372:42-51
 - [Pesticides are the dominant stressors for vulnerable insects in lowland streams.](#) Liess, M., Liebmann, L., Vormeier, P., Weisner, O., Altenburger, R., Borchardt, D., Brack, W., Chatzinotas, A., Escher, B., Foit, K. and Gunold, R. *Water Research*, 201, p.117262.
 - [Behavioral Effects of the Mixture and the Single Compounds Carbendazim, Fipronil, and Sulfentrazone on Zebrafish \(Danio rerio\) Larvae.](#) Gomes, S. da S. et al. (2024) Behavioral effects of the mixture and the single compounds carbendazim, fipronil, and sulfentrazone on zebrafish (danio rerio) larvae, *Biomedicines*. Available at: <https://www.mdpi.com/2227-9059/12/6/1176>.
 - [Neurotoxicity of fipronil affects sensory and motor systems in zebrafish.](#) Wu, C.H. et al. (2021) Neurotoxicity of fipronil affects sensory and motor systems in zebrafish, *Pesticide Biochemistry and Physiology*. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S0048357521001279>.
 - [Residues of agrochemicals in beebread as an indicator of landscape management.](#) Bogo, G. et al. (2024) Residues of agrochemicals in beebread as an indicator of landscape management, *Science of The Total Environment*. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S0048969724042232?via%3Dihub>.
 - [Exposure to pesticides, persistent and non – persistent pollutants in French 3.5-year-old children: Findings from comprehensive hair analysis in the ELFE national birth cohort.](#) Macheka, L. et al. (2024) Exposure to pesticides, persistent and non – persistent pollutants in French 3.5-year-old children: Findings from comprehensive hair analysis in the ELFE national birth cohort, *Environment International*. Available at: <https://www.sciencedirect.com/science/article/pii/S0160412024004677>.
 - [Thyroid under Attack: The Adverse Impact of Plasticizers, Pesticides, and PFASs on Thyroid Function.](#) Rodrigues, V.G. et al. (2024) Thyroid under Attack: The Adverse Impact of Plasticizers, Pesticides, and PFASs on Thyroid Function, *Endocrines*. Available at: <https://www.mdpi.com/2673-396X/5/3/32>.
 - [Impact of Endocrine Disrupting Pesticide Use on Obesity: A Systematic Review.](#) Pérez-Bermejo, M. et al. (2024) Impact of Endocrine Disrupting Pesticide Use on Obesity: A Systematic Review, *Biomedicines*. Available at: <https://www.mdpi.com/2227-9059/12/12/2677>.
 - [Pesticide-Induced Inflammation at a Glance.](#) Lopes-Ferreira, M. et al. (2023) ‘Pesticide-induced inflammation at a glance’, *Toxics*, 11(11), p. 896. doi:10.3390/toxics11110896.
 - [Environmental fate and exposure; neonicotinoids and fipronil.](#) Bonmatin, JM., Giorio, C.,

- Girolami, V. et al. Environmental fate and exposure; neonicotinoids and fipronil. *Environ Sci Pollut Res* 22, 35–67 (2015). <https://doi.org/10.1007/s11356-014-3332-7>
- [High prevalence of veterinary drugs in bird's nests](#). Tassin de Montaigu, C. et al. (2025) High prevalence of veterinary drugs in bird's nests, *Science of The Total Environment*. Available at: <https://www.sciencedirect.com/science/article/pii/S0048969725000737>.
 - [An update of the Worldwide Integrated Assessment \(WIA\) on systemic insecticides](#). Pisa, L., Goulson, D., Yang, EC. et al. An update of the Worldwide Integrated Assessment (WIA) on systemic insecticides. Part 2: impacts on organisms and ecosystems. *Environ Sci Pollut Res* 28, 11749–11797 (2021). <https://doi.org/10.1007/s11356-017-0341-3>
 - [Behavioral response and gene expression changes in fipronil-administered male Japanese quail \(Coturnix japonica\)](#). Samah R. Khalil, Ashraf Awad, Hesham H. Mohammed, Behavioral response and gene expression changes in fipronil-administered male Japanese quail (*Coturnix japonica*), *Environmental Pollution*, Volume 223, 2017, Pages 51-61, ISSN 0269-7491, <https://doi.org/10.1016/j.envpol.2016.12.027>.
 - [Assessing the Risk of Fipronil-Treated Seed Ingestion and Associated Adverse Effects in the Red-Legged Partridge](#). Lopez-Antia, A. et al. (2015) Assessing the Risk of Fipronil-Treated Seed Ingestion and Associated Adverse Effects in the Red-Legged Partridge, *Environmental Science & Technology*. Available at: <https://pubs.acs.org/doi/10.1021/acs.est.5b03822>.
 - [Pesticide effects on nitrogen cycle related microbial functions and community composition](#). Sim, J. X. F., Doolette, C. L., Vasileiadis, S., Drigo, B., Wyrsh, E. R., Djordjevic, S. P., Donner, E., Karpouzias, D. G., & Lombi, E. (2022). Pesticide effects on nitrogen cycle related microbial functions and community composition. *The Science of the total environment*, 807(Pt 1), 150734. <https://doi.org/10.1016/j.scitotenv.2021.150734>
 - [Broad-scale pesticide screening finds anticoagulant rodenticide and legacy pesticides in Australian frogs](#). Rowley, J. et al. (2024) Broad-scale pesticide screening finds anticoagulant rodenticide and legacy pesticides in Australian frogs, *Science of The Total Environment*. Available at: <https://www.sciencedirect.com/science/article/pii/S004896972402672X>.
 - [Characterizing pyrethroid and fipronil concentrations in biosolids](#). Wheeler, J., Black, G. P., Hladik, M. L., Sanders, C. J., Teerlink, J., Wong, L., Zhang, X., Budd, R., & Young, T. M. (2025). Characterizing pyrethroid and fipronil concentrations in biosolids. *The Science of the total environment*, 969, 178954. <https://doi.org/10.1016/j.scitotenv.2025.178954>
 - [Systemic insecticides \(neonicotinoids and fipronil\): trends, uses, mode of action and metabolites](#). Simon-Delso, N., Amaral-Rogers, V., Belzunces, L.P. et al. Systemic insecticides (neonicotinoids and fipronil): trends, uses, mode of action and metabolites. *Environ Sci Pollut Res* 22, 5–34 (2015). <https://doi.org/10.1007/s11356-014-3470-y>
 - [Pet dogs transfer veterinary medicines to the environment](#). Diepens, Noël & Belgers, Dick & Buijse-Bogdan, Laura & Roessink, Ivo. (2022). Pet dogs transfer veterinary medicines to the environment. *Science of The Total Environment*. 858. 159550. [10.1016/j.scitotenv.2022.159550](https://doi.org/10.1016/j.scitotenv.2022.159550).
 - [American Healthy Homes Survey: A National Study of Residential Pesticides Measured from Floor Wipes](#). Stout, D. M., 2nd, Bradham, K. D., Egeghy, P. P., Jones, P. A., Croghan, C. W., Ashley, P. A., Pinzer, E., Friedman, W., Brinkman, M. C., Nishioka, M. G., & Cox, D. C. (2009). American Healthy Homes Survey: a national study of residential pesticides measured from floor wipes. *Environmental science & technology*, 43(12), 4294–4300. <https://doi.org/10.1021/es8030243>
 - [Effects of neonicotinoids and fipronil on non-target invertebrates](#). Pisa, L. W., Amaral-Rogers, V., Belzunces, L. P., Bonmatin, J. M., Downs, C. A., Goulson, D., Kreuzweiser, D. P., Krupke, C., Liess, M., McField, M., Morrissey, C. A., Noome, D. A., Settele, J., Simon-Delso, N., Stark, J. D., Van der Sluijs, J. P., Van Dyck, H., & Wiemers, M. (2015). Effects of

neonicotinoids and fipronil on non-target invertebrates. *Environmental science and pollution research international*, 22(1), 68–102.

<https://doi.org/10.1007/s11356-014-3471-x>

- [Bioaccumulation of pesticide contaminants in tissue matrices of dogs suffering from malignant canine mammary tumors in Punjab, India](#). Gautam, S., Sood, N. K., Gupta, K., Joshi, C., Gill, K. K., Kaur, R., & Chauhan, I. (2020). Bioaccumulation of pesticide contaminants in tissue matrices of dogs suffering from malignant canine mammary tumors in Punjab, India. *Heliyon*, 6(10), e05274. <https://doi.org/10.1016/j.heliyon.2020.e05274>
- [Pesticide contamination is associated with invertebrate community change in non-agricultural streams](#). Schweiger, L. et al. (2025) Pesticide contamination is associated with invertebrate community change in non-agricultural streams, *Water Research*. Available at: <https://www.sciencedirect.com/science/article/pii/S0043135425008115>.
- [Fipronil washoff to municipal wastewater from dogs treated with spot-on products](#). Teerlink, J., Hernandez, J., & Budd, R. (2017). Fipronil washoff to municipal wastewater from dogs treated with spot-on products. *The Science of the total environment*, 599-600, 960–966. <https://doi.org/10.1016/j.scitotenv.2017.04.219>
- [Risks of large-scale use of systemic insecticides to ecosystem functioning and services](#). Chagnon, M., Kreuzweiser, D., Mitchell, E. A., Morrissey, C. A., Noome, D. A., & Van der Sluijs, J. P. (2015). Risks of large-scale use of systemic insecticides to ecosystem functioning and services. *Environmental science and pollution research international*, 22(1), 119–134. <https://doi.org/10.1007/s11356-014-3277-x>
- [Occurrence of Current-Use Pesticides in Paired Indoor Dust, Drinking Water, and Urine Samples from the United States: Risk Prioritization and Health Implications](#). Xie, Y., Li, J., Salamova, A., & Zheng, G. (2025). Occurrence of Current-Use Pesticides in Paired Indoor Dust, Drinking Water, and Urine Samples from the United States: Risk Prioritization and Health Implications. *Environmental science & technology*, 59(25), 12507–12519. <https://doi.org/10.1021/acs.est.5c00961>
- [Occurrence of Fipronil in residential house dust in the presence and absence of pets: a hint for a comprehensive toxicological assessment](#). Testa, C. et al. (2019) 'Occurrence of Fipronil in residential house dust in the presence and absence of pets: a hint for a comprehensive toxicological assessment', *Journal of Environmental Science and Health, Part B*, 54(6), pp. 441–448. doi: 10.1080/03601234.2019.1607133.
- [Pesticide Prioritization by Potential Biological Effects in Tributaries of the Laurentian Great Lakes](#). Oliver, S.K., Corsi, S.R., Baldwin, A.K., Nott, M.A., Ankley, G.T., Blackwell, B.R., Villeneuve, D.L., Hladik, M.L., Kolpin, D.W., Loken, L., DeCicco, L.A., Meyer, M.T. and Loftin, K.A. (2023), Pesticide Prioritization by Potential Biological Effects in Tributaries of the Laurentian Great Lakes. *Environ Toxicol Chem*, 42: 367-384. <https://doi.org/10.1002/etc.5522>
- [Insecticide Mixtures Could Enhance the Toxicity of Insecticides in a Resistant Dairy Population of *Musca domestica* L.](#) Khan HAA, Akram W, Shad SA, Lee JJ (2013) Insecticide Mixtures Could Enhance the Toxicity of Insecticides in a Resistant Dairy Population of *Musca domestica* L. *PLOS ONE* 8(4): e60929. <https://doi.org/10.1371/journal.pone.0060929>
- [Flood-borne pesticides are transferred from riparian soil via plants to phytophagous aphids](#). Fiolka, F., Fuchs, T., Roodt, A. P., Manfrin, A., & Schulz, R. (2025). Flood-borne pesticides are transferred from riparian soil via plants to phytophagous aphids. *Chemosphere*, 377, 144355. <https://doi.org/10.1016/j.chemosphere.2025.144355>

Gateway Health and Environmental Effects Citations

1. EPA weight-of-evidence category, "possible human carcinogen." US EPA, 2004. Office of Pesticide Programs. List of Chemicals Evaluated for Carcinogenic Potential. July 29, 2004.
<http://www.epa.gov/pesticides/carlist/>
2. European Commission. Endocrine Disruptors: Study on Gathering Information on 435 Substances with Insufficient Data. Final Report. EU DG Environment: B4-3040/2001/325850/MAR/C2. BKH Consulting Engineers: M0355037. November 2002.
http://ec.europa.eu/environment/chemicals/endocrine/pdf/bkh_report.pdf#page=76.
3. Beyond Pesticides ChemWatch Factsheets. (Cited under factsheets on [Beyond Pesticides Gateway](#); see top of individual chemical page)
4. National Library of Medicine. PubChem Hazardous Substances Database. [PubChem \(nih.gov\)](#)

Factsheet generated on May 25, 2026