

Chemical Factsheet

Paraquat/Paraquat dichloride

General Information

- Fact Sheet: [Paraquat.pdf](#)
- Product Names:
 - Cyclone** (Syngenta) formulated with [Carfentrazone](#)
 - Gramoxone** (Syngenta)
 - Marman** (Marman)
 - Quik-Quat** (Drexel)
 - Herbiquat** (Marman USA)
 - Parazone** (Makhteshim)
 - Bonfire** (United Phosphorus)
 - Helmquat** (Helm Agro US)
 - Dynaquat** (Source Dynamics)
- Chemical Class: Quaternary nitrogen herbicide
- Uses: Preplant or preemergence weed control on vegetables, grains, cotton, grasses, sugar cane, peanuts, potatoes, and tree plantation areas; postemergence around fruit crops, vegetables, trees, vines, grains, soybeans, and sugar cane; during the dormant season on clover and other legumes; as a desiccant or harvest aid on cotton, dry beans, soybeans, potatoes, sunflowers, and sugar cane; and as a post harvest desiccant on staked tomatoes; applied to pine trees to induce resin soaking. non-crop areas include public airports, electric transformer stations and around commercial buildings.
- Alternatives: [Organic agriculture](#), [Least-toxic weed control](#)
- Beyond Pesticides rating: [Toxic](#)

Health and Environmental Effects

See citations at end of document.

- Cancer: Likely (1)
- Endocrine Disruption: Not documented
- Reproductive Effects: Yes (2)
- Neurotoxicity: Yes (3, 4, 5)
- Kidney/Liver Damage: Yes (6)
- Sensitizer/Irritant: Yes (6)
- Birth/Developmental: Not documented
- Detected in Groundwater: Yes (6)
- Potential Leacher: Likely (7, 8)
- Toxic to Birds: Yes (6)
- Toxic to Fish/Aquatic Organisms: Yes (9, 10, 11)
- Toxic to Bees: Likely (12)

Additional Information

- Regulatory Status:
 - [EPA Reregistration Eligibility Decision \(RED\)](#) signed (8/1997)

- Supporting information:
 - [Beyond Pesticide Comments \(March 2025\)](#)
 - [Beyond Pesticide Comments \(March 2024\)](#)
 - [Exttoxnet Paraquat Factsheet](#) (Extension Toxicology Network)
 - [PAN Pesticides Database: Paraquat dichloride](#) (Pesticide Action Network)
 - [Adverse Health Effects Caused by Paraquat](#) (Public Eye)
- Studies [compiled from the [Pesticide-Induced Diseases Database](#)]
 - [Drosophila DJ-1 Mutants Are Selectively Sensitive to Environmental Toxins Associated with Parkinson's Disease](#). Meulener, M. et. al. 2005. *Current Biology* 15(17):1572-1577.
 - [Age-related irreversible progressive nigrostriatal dopaminergic neurotoxicity in the paraquat and maneb model of the Parkinson's disease phenotype](#). Thiruchelvam, M., et al. 2003. *Eur J Neurosci* 18(3):589-600
 - [Agricultural pesticide use and risk of glioma in Nebraska, United States](#). Lee, W., et al. 2005. *Occupational and Environmental Medicine* 62(11):786-792
 - [Association between Parkinson's Disease and Cigarette Smoking, Rural Living, Well-Water Consumption, Farming and Pesticide Use: Systematic Review and Meta-Analysis](#). Breckenridge CB, Berry C, Chang ET, et al. 2016. *PLoS One*.11(4):e0151841
 - [Cognitive impairment and increased A \$\beta\$ levels induced by paraquat exposure are attenuated by enhanced removal of mitochondrial H₂O₂](#). Chen, L., et al. 2011. *Neurobiol Aging*. [Epub ahead of print]
 - [Combined exposure to agriculture pesticides, paraquat and maneb, induces alterations in the N/OFQ-NOPr and PDYN/KOPr systems in rats: Relevance to sporadic Parkinson's disease](#). Bastías-Candia S, Di Benedetto M, D'Addario C, Candeletti S, Romualdi P. 2013. *Environ Toxicol*. doi: 10.1002/tox.21943
 - [Developmental exposure to the pesticides paraquat and maneb and the Parkinson's disease phenotype](#). Thiruchelvam, M., et al. 2002. *Neurotoxicology* 23(4-5):621-633
 - [Developmental pesticide exposures and the Parkinson's disease phenotype](#). Cory-Slechta D.A., et al. 2005. *Birth Defects Res A Clin Mol Teratol* 73:136-139
 - [Dopamine Transporter Genetic Variants and Pesticides in Parkinson's Disease](#). Ritz BR, et al. 2009. *Environ Health Perspect* 117(6)
 - [Effects of melatonin in rats in the initial third stage of pregnancy exposed to sub-lethal doses of herbicides](#). Almeida LL, Teixeira AAC, Soares AF, Cunha FMD, et al. *Acta Histochem*. 119(3):220-227.
 - [Environmental exposure to pesticides and the risk of Parkinson's disease in the Netherlands](#). Brouwer M, Huss A, van der Mark M, Nijssen PCG, et al. 2017. *Environ Int*. 107:100-110.
 - [The herbicide paraquat-induced molecular mechanisms in the development of acute lung injury and lung fibrosis](#). Subbiah, R. and Tiwari, R.R., 2020. *Critical Reviews in Toxicology*, pp.1-97.
 - [Cellular injury leading to oxidative stress in acute poisoning with potassium permanganate/oxalic acid, paraquat, and glyphosate surfactant herbicide](#). Wijerathna, T.M., Mohamed, F., Gawarammana, I.B., Wunnapuk, K., Dissanayake, D.M., Shihana, F. and Buckley, N.A., 2020. *Environmental toxicology and pharmacology*, 80, p.103510.
 - [Environmental Exposures and Parkinson's Disease](#). Nandipati S, Litvan I. 2016. *Int J Environ Res Public Health*. 13(9).
 - [Exposure to pesticides or solvents and risk of Parkinson disease](#). Pezzoli G, Cereda E. 2013. *Neurology*. 80(22):2035-41
 - [Genetic modification of the association of paraquat and Parkinson's disease](#). Goldman, S, Kamel, F, Webster Ross, G, et al. 2012. *Movement Disorders*. 27(13):1652-1658
 - [A pesticide and iPSC dopaminergic neuron screen identifies and classifies Parkinson-relevant pesticides](#). Paul, K.C., Krolewski, R.C., Lucumi Moreno, E., Blank, J., Holton, K.M.,

- Ahfeldt, T., Furlong, M., Yu, Y., Cockburn, M., Thompson, L.K. and Kreymerman, A., 2023. *Nature Communications*, 14(1), p.2803.
- [Paraquat and Parkinson's Disease: The Molecular Crosstalk of Upstream Signal Transduction Pathways Leading to Apoptosis](#). WZ, C.S., Naidu, R. and Tang, K.S., 2023. *Current Neuropharmacology*.
 - [Predicting mortality in paraquat poisoning through clinical findings, with a focus on pulmonary and cardiovascular system disorders..](#) Tajai, P. and Kornjirakasemsan, A., 2023. *Journal of Pharmaceutical Policy and Practice*, 16(1), p.123.
 - [Ecotoxicology of the herbicide paraquat: effects on wildlife and knowledge gaps..](#) Donaher, S.E. and Van den Hurk, P., 2023. *Ecotoxicology*, pp.1-13.
 - [Paraquat Neurotoxicity is Distinct from that of MPTP and Rotenone](#). Richardson, J. et al. (2005) Paraquat Neurotoxicity is Distinct from that of MPTP and Rotenone, *Toxicological Sciences*. Available at: <https://www.sciencedirect.com/science/article/pii/S0160412020322996?via%3Dihub>.
 - [Chronic Effects of Dietary Pesticides on the Gut Microbiome and Neurodevelopment](#). Gama, J., Neves, B., & Pereira, A. (2022). Chronic effects of dietary pesticides on the gut microbiome and neurodevelopment. *Frontiers in Microbiology*, 13, 931440. <https://www.frontiersin.org/journals/microbiology/articles/10.3389/fmicb.2022.931440/full>
 - [Paraquat exposure and Parkinson's disease: A systematic review and meta-analysis](#). Tangamornsuksan, W., Lohitnavy, O., Sruamsiri, R., Chaiyakunapruk, N., Norman Scholfield, C., Reisfeld, B., & Lohitnavy, M. (2019). Paraquat exposure and Parkinson's disease: A systematic review and meta-analysis. *Archives of Environmental & Occupational Health*, 74(5), 225-238. <https://www.tandfonline.com/doi/abs/10.1080/19338244.2018.1492894>
 - [Paraquat: toxicology and impacts of its ban on human health and agriculture](#). Kim, J. W., & Kim, D. S. (2020). Paraquat: toxicology and impacts of its ban on human health and agriculture. *Weed science*, 68(3), 208-213. <https://www.cambridge.org/core/journals/weed-science/article/abs/paraquat-toxicology-and-impacts-of-ban-on-human-health-and-agriculture/0E4589AEC0B5B84F5D46587C0640B235>
 - [Agriculture without paraquat is feasible without loss of productivity—lessons learned from phasing out a highly hazardous herbicide](#). Stuart, A. M., Merfield, C. N., Horgan, F. G., Willis, S., Watts, M. A., Ramírez-Muñoz, F., ... & Williamson, S. (2023). Agriculture without paraquat is feasible without loss of productivity—lessons learned from phasing out a highly hazardous herbicide. *Environmental Science and Pollution Research*, 30(7), 16984-17008. <https://link.springer.com/article/10.1007/s11356-022-24951-0>
 - [Risk of Parkinson disease associated with pesticide exposure and protection by probiotics](#). Rajawat, N. K., Bhardwaj, K., & Mathur, N. (2022). Risk of Parkinson disease associated with pesticide exposure and protection by probiotics. *Materials Today: Proceedings*, 69, A1-A11. <https://www.sciencedirect.com/science/article/pii/S2214785322075253>
 - [Influence of Pesticides Contamination on Microbial Population of Selected Farmlands](#). Uneze, D.P., Kugbenu, G.J. and Obire, O. (2024) Influence of pesticides contamination on microbial population of selected farmlands, *British Journal of Environmental Sciences*. Available at: <https://ejournals.org/bjes/vol12-issue-5-2024/influence-of-pesticides-contamination-on-microbial-population-of-selected-farmlands/>.
 - [Small paraquat resistance proteins modulate paraquat and ABA responses and confer drought tolerance to overexpressing Arabidopsis plants](#). Faragó, D. et al. (2022) Small paraquat resistance proteins modulate paraquat and ABA responses and confer drought tolerance to overexpressing Arabidopsis plants, *Plant, Cell & Environment*. Available at: <https://www.sciencedirect.com/science/article/pii/S2214750023000331>.

- [Immune response of Brazilian farmers exposed to multiple pesticides](#). Jacobsen-Pereira, C.H. et al. (2020) 'Immune response of Brazilian farmers exposed to multiple pesticides', *Ecotoxicology and Environmental Safety*, 202, p. 110912. doi:10.1016/j.ecoenv.2020.110912.
- [Pesticide-Induced Inflammation at a Glance](#). Lopes-Ferreira, M. et al. (2023) 'Pesticide-induced inflammation at a glance', *Toxics*, 11(11), p. 896. doi:10.3390/toxics11110896.
- [Pesticide exposure and sleep disorder: A cross-sectional study among Thai farmers](#). Juntarawijit, C. et al. (2025) Pesticide exposure and sleep disorder: A cross-sectional study among Thai farmers, *Heliyon*. Available at: [https://www.cell.com/heliyon/fulltext/S2405-8440\(24\)17154-X](https://www.cell.com/heliyon/fulltext/S2405-8440(24)17154-X).
- [High Pesticide Exposure Events and Dream-Enacting Behaviors Among US Farmers](#). Yuan, Y., Shrestha, S., Luo, Z., Li, C., Plassman, B.L., Parks, C.G., Hofmann, J.N., Beane Freeman, L.E., Sandler, D.P. and Chen, H. (2022), High Pesticide Exposure Events and Dream-Enacting Behaviors Among US Farmers. *Mov Disord*, 37: 962-971. <https://doi.org/10.1002/mds.28960>
- [A Drosophila model for age-associated changes in sleep:wake cycles](#). K. Koh, J.M. Evans, J.C. Hendricks, A. Sehgal, A *Drosophila* model for age-associated changes in sleep:wake cycles, *Proc. Natl. Acad. Sci. U.S.A.* 103 (37) 13843-13847, <https://doi.org/10.1073/pnas.0605903103> (2006).
- [Exploring the Joint Association Between Agrichemical Mixtures and Pediatric Cancer](#). Taiba, J. et al. (2025) Exploring the Joint Association Between Agrichemical Mixtures and Pediatric Cancer, *GeoHealth*. Available at: <https://agupubs.onlinelibrary.wiley.com/doi/10.1029/2024GH001236>.
- [Toxic influence of subchronic paraquat administration on dopaminergic neurons in rats](#). Kuter, K., Smiałowska, M., Wierońska, J., Zieba, B., Wardas, J., Pietraszek, M., Nowak, P., Biedka, I., Roczniak, W., Konieczny, J., Wolfarth, S., & Ossowska, K. (2007). Toxic influence of subchronic paraquat administration on dopaminergic neurons in rats. *Brain research*, 1155, 196-207. <https://doi.org/10.1016/j.brainres.2007.04.018>
- [Carrier-mediated processes in blood-brain barrier penetration and neural uptake of paraquat](#). Shimizu, K., Ohtaki, K., Matsubara, K., Aoyama, K., Uezono, T., Saito, O., Suno, M., Ogawa, K., Hayase, N., Kimura, K., & Shiono, H. (2001). Carrier-mediated processes in blood--brain barrier penetration and neural uptake of paraquat. *Brain research*, 906(1-2), 135-142. [https://doi.org/10.1016/s0006-8993\(01\)02577-x](https://doi.org/10.1016/s0006-8993(01)02577-x)
- [Role of cytochrome c in \$\alpha\$ -synuclein radical formation: implications of \$\alpha\$ -synuclein in neuronal death in Maneb- and paraquat-induced model of Parkinson's disease](#). Kumar, A., Ganini, D., & Mason, R. P. (2016). Role of cytochrome c in α -synuclein radical formation: implications of α -synuclein in neuronal death in Maneb- and paraquat-induced model of Parkinson's disease. *Molecular neurodegeneration*, 11(1), 70. <https://doi.org/10.1186/s13024-016-0135-y>
- [A novel idea for establishing Parkinson's disease mouse model by intranasal administration of paraquat](#). Chen, Y. B., Wang, Y. Q., Wu, J. R., & Cui, Y. L. (2021). A novel idea for establishing Parkinson's disease mouse model by intranasal administration of paraquat. *Neurological research*, 43(4), 267-277. <https://doi.org/10.1080/01616412.2020.1847542>
- [The effect of environmental chemicals on the tumor microenvironment](#). Casey, S. C., Vaccari, M., Al-Mulla, F., Al-Temaimi, R., Amedei, A., Barcellos-Hoff, M. H., Brown, D. G., Chapellier, M., Christopher, J., Curran, C. S., Forte, S., Hamid, R. A., Heneberg, P., Koch, D. C., Krishnakumar, P. K., Laconi, E., Maguer-Satta, V., Marongiu, F., Memeo, L., Mondello, C., ... Felsher, D. W. (2015). The effect of environmental chemicals on the tumor microenvironment. *Carcinogenesis*, 36 Suppl 1(Suppl 1), S160-S183. <https://doi.org/10.1093/carcin/bgv035>

- [Case fatality of agricultural pesticides after self-poisoning in Sri Lanka: a prospective cohort study](#). Buckley, N. A., Fahim, M., Raubenheimer, J., Gawarammana, I. B., Eddleston, M., Roberts, M. S., & Dawson, A. H. (2021). Case fatality of agricultural pesticides after self-poisoning in Sri Lanka: a prospective cohort study. *The Lancet. Global health*, 9(6), e854–e862. [https://doi.org/10.1016/S2214-109X\(21\)00086-3](https://doi.org/10.1016/S2214-109X(21)00086-3)
- [Fatal paraquat poisoning: a case report and literature review on rapid deterioration and therapeutic challenges](#). Barma, A. et al. (2025) Fatal paraquat poisoning: a case report and literature review on rapid deterioration and therapeutic challenges, *Annals of Medicine & Surgery*. Available at: https://journals.lww.com/annals-of-medicine-and-surgery/fulltext/2025/04000/fatal_paraquat_poisoning_a_case_report_and.82.aspx.
- [Paraquat at 63—the story of a controversial herbicide and its regulations: It is time to put people and public health first when regulating paraquat](#). Utyasheva, L., Amarasinghe, P. & Eddleston, M. Paraquat at 63—the story of a controversial herbicide and its regulations: It is time to put people and public health first when regulating paraquat. *BMC Public Health* 25, 3089 (2025). <https://doi.org/10.1186/s12889-025-23830-w>
- [Thyroid and reproductive hormones in relation to pesticide use in an agricultural population in Southern Brazil](#). Santos, R., Piccoli, C., Cremonese, C., & Freire, C. (2019). Thyroid and reproductive hormones in relation to pesticide use in an agricultural population in Southern Brazil. *Environmental research*, 173, 221–231. <https://doi.org/10.1016/j.envres.2019.03.050>
- [Occupational Pesticide Use and Risk of Renal Cell Carcinoma in the Agricultural Health Study](#). Andreotti, G., Beane Freeman, L. E., Shearer, J. J., Lerro, C. C., Koutros, S., Parks, C. G., Blair, A., Lynch, C. F., Lubin, J. H., Sandler, D. P., & Hofmann, J. N. (2020). Occupational Pesticide Use and Risk of Renal Cell Carcinoma in the Agricultural Health Study. *Environmental health perspectives*, 128(6), 67011. <https://doi.org/10.1289/EHP6334>
- [Emerging prospects and consequences of environmental neurotoxic pollutants in the vertebrate system](#). Shaw, R. et al. (2026) Emerging prospects and consequences of environmental neurotoxic pollutants in the vertebrate system, *Discover Toxicology*. Available at: <https://link.springer.com/article/10.1007/s44339-025-00042-w>.
- [Paraquat toxicity in different cell types of Swiss albino mice](#). Onur, B., Çavuşoğlu, K., Yalçın, E. et al. Paraquat toxicity in different cell types of Swiss albino mice. *Sci Rep* 12, 4818 (2022). <https://doi.org/10.1038/s41598-022-08961-z>
- [Tissue and cellular disposition of paraquat in mice](#). Waddell, W.J., & Marlowe, C. (1980). Tissue and cellular disposition of paraquat in mice. *Toxicology and applied pharmacology*, 56 1, 127-40. Available at: <https://www.sciencedirect.com/science/article/abs/pii/0041008X80901386>.
- [Effects of Commonly Used Pesticides in China on the Mitochondria and Ubiquitin-Proteasome System in Parkinson's Disease](#). Chen, T., Tan, J., Wan, Z., Zou, Y., Kessete Afewerky, H., Zhang, Z., & Zhang, T. (2017). Effects of Commonly Used Pesticides in China on the Mitochondria and Ubiquitin-Proteasome System in Parkinson's Disease. *International Journal of Molecular Sciences*, 18(12), 2507. <https://doi.org/10.3390/ijms18122507>

Gateway Health and Environmental Effects Citations

1. Park, A.S., Ritz, B., Yu, F., Cockburn, M. and Heck, J.E., 2020. Prenatal pesticide exposure and childhood leukemia—A California statewide case-control study. *International journal of hygiene and environmental health*, 226, p.113486. [DOI: 10.1016/j.ijheh.2020.113486](https://doi.org/10.1016/j.ijheh.2020.113486)

2. Frazier, L. and M.L. Hage. 2001. Reproductive Hazards of the Workplace. Europe: Wiley. Table 10: Partial List of Reproductive Toxins.
<https://web.archive.org/web/20100624221623/http://www.biosci.osu.edu/safety/CHP/Tables2001/Tabl e10-11-00.pdf>.
3. Anselmi, L., Bove, C., Coleman, F.H., Le, K., Subramanian, M.P., Venkiteswaran, K., Subramanian, T. and Travagli, R.A., 2018. Ingestion of subthreshold doses of environmental toxins induces ascending Parkinsonism in the rat. *npj Parkinson's Disease*, 4(1), pp.1-10. DOI: [10.1038/s41531-018-0066-0](https://doi.org/10.1038/s41531-018-0066-0)
4. Brouwer, M., Huss, A., van der Mark, M., Nijssen, P.C., Mulleners, W.M., Sas, A.M., Van Laar, T., de Snoo, G.R., Kromhout, H. and Vermeulen, R.C., 2017. Environmental exposure to pesticides and the risk of Parkinson's disease in the Netherlands. *Environment international*, 107, pp.100-110. DOI: [10.1016/j.envint.2017.07.001](https://doi.org/10.1016/j.envint.2017.07.001)
5. Hou, L., Zhang, C., Wang, K., Liu, X., Wang, H., Che, Y., Sun, F., Zhou, X., Zhao, X. and Wang, Q., 2017. Paraquat and maneb co-exposure induces noradrenergic locus coeruleus neurodegeneration through NADPH oxidase-mediated microglial activation. *Toxicology*, 380, pp.1-10. DOI: [10.1016/j.tox.2017.02.009](https://doi.org/10.1016/j.tox.2017.02.009)
6. Extension Toxicology Network (EXTOXNET) Pesticide Information Profiles.
<http://extoxnet.orst.edu/pips/ghindex.html>
7. Verissimo, G., Moreira, J.C. and Meyer, A., 2018. Paraquat Contamination in Surface Waters of a Rural Stream in the Mountain Region in the State of Rio De Janeiro Southeastern Brazil. *J Environ Toxicol Stud*, 2(1). DOI: <http://dx.doi.org/10.16966/2576-6430.111>
8. Thi Hue, N., Nguyen, T.P.M., Nam, H. and Hoang Tung, N., 2018. Paraquat in Surface Water of Some Streams in Mai Chau Province, the Northern Vietnam: Concentrations, Profiles, and Human Risk Assessments. *Journal of Chemistry*, 2018. DOI: [10.1155/2018/8521012](https://doi.org/10.1155/2018/8521012)
9. Badroo, I.A., Wani, K.A., Nandurkar, H.P. and Khanday, A.H., 2019. Renewal Acute Toxicity of Broad-Spectrum Herbicide, Paraquat Dichloride in *Channa punctatus* (Bloch). *Environmental Claims Journal*, 31(4), pp.289-303. DOI: [10.1080/10406026.2019.1609796](https://doi.org/10.1080/10406026.2019.1609796)
10. Ayanda, O.I., Oniye, S.J. and Auta, J.A., 2017. Behavioural and Some Physiological Assessment of Glyphosate and Paraquat Toxicity to Juveniles of African Catfish, *Clarias gariepinus*. *pakistan Journal of Zoology*, 49(1), pp.183-190. DOI: [10.17582/journal.pjz/2017.49.1.83.190](https://doi.org/10.17582/journal.pjz/2017.49.1.83.190)
11. Moustakas, M., Malea, P., Zafeirakoglou, A. and Sperdouli, I., 2016. Photochemical changes and oxidative damage in the aquatic macrophyte *Cymodocea nodosa* exposed to paraquat-induced oxidative stress. *Pesticide biochemistry and physiology*, 126, pp.28-34. DOI: [10.1016/j.pestbp.2015.07.003](https://doi.org/10.1016/j.pestbp.2015.07.003)
12. de Mattos, I.M., Soares, A.E. and Tarpy, D.R., 2018. Mitigating effects of pollen during paraquat exposure on gene expression and pathogen prevalence in *Apis mellifera* L. *Ecotoxicology*, 27(1), pp.32-44. DOI: [10.1007/s10646-017-1868-2](https://doi.org/10.1007/s10646-017-1868-2)